

**WE'VE PASSED 1000
PARTICIPANTS!**



**HUGE well done to all the PAPAGAIO Diagnosis
teams! This is a phenomenal milestone to have
hit within 8 months!**



PAPAGAIO

MARCH NEWSLETTER

WEBSITE: PAPAGAIO-I.ORG
EMAIL: PAPAGAIO@KCL.AC.UK

March 2026

Welcome to the next edition of the
PAPAGAIO monthly newsletter!

Recruitment continued with a fantastic
rate in February, with **221** potential
participants **screened**!


We finished February with **141** new
participants **randomised** in the
PAPAGAIO trial, bringing our total to
1092!

February stats:

Sites open: **15**

Participants randomised: **141**

February Participant Recruitment
Numbers




Site	Country	Date opened	Total screened	Total randomised	Screened (Feb)	Eligible (Feb)	Randomised (Feb)
Botucatu Medical School	BR	01/07/2025	190	188	14	14	14
Ribeirão Preto	BR	14/08/2025	97	94	20	20	20
Belo Horizonte	BR	09/10/2025	23	23	6	6	6
Campinas State University	BR	29/11/2025	31	30	10	10	10
Women's and Newborns University Teaching Hospital	ZM	15/07/2025	173	114	22	15	13
Ndola Teaching Hospital	ZM	17/07/2025	130	93	12	10	9
Kitwe Teaching Hospital	ZM	17/07/2025	113	74	10	10	10
Kabwe General Hospital	ZM	16/07/2025	144	80	27	12	12
PGIMER, Bhubaneswar	IN	09/10/2025	121	56	34	10	10
JNMC, Belgavi	IN	10/10/2025	102	32	0	0	0
KIMS, Hubballi	IN	27/10/2025	101	76	0	0	0
SMS Medical College, Jaipur	IN	17/10/2025	122	105	10	10	10
BDLE (Deemed to be University), Vijayapura	IN	11/10/2025	195	52	36	7	7
Princess Christian Maternity Hospital, Freetown	SL	18/11/2025	78	72	20	20	20
Aberdeen Women's Clinic, Freetown	SL	22/01/2025	3	3	0	0	0
GRAND TOTAL			1623	1092	221		141

PARTICIPANT TRACKER

GOAL: 1310

Current: 1092





LOCKED DATASETS



As some sites begin to wind down our work with **PAPAGAIO Diagnosis**, we would like to remind everyone of the importance of responding to **queries** in a timely manner.

This enables the central KCL monitoring team to **lock datasets**, and keeps us on track to be ready for analysis when we hit our recruitment target.

Please ensure you are regularly accessing the **Monitoring** tab...

MONITORING

Query level status

1. [List of new queries to be answered by data entry personnel](#)
2. [List of unanswered queries which are overdue](#)
3. [List of all queries - Query history view](#)

... and checking both new queries,
and unanswered queries

PLEASE PRIORITISE RESPONDING TO
OVERDUE UNANSWERED QUERIES



SPOTLIGHT: PAPAGAIO Delivery Zambia Training



The KCL team travelled across Zambia in February to undertake staff and clinician training in Lusaka, Kitwe, Kabwe, and Ndola ahead of the soon-to-commence PAPAGAIO Delivery Trial



SPOTLIGHT: PAPAGAI0 Delivery Zambia Training





NOTICES

Timing of Delivery Reminder

Particularly for PAPAGAIO Diagnosis:

A low (<12) or abnormal (12-99) PIGF result is not an automatic indication for delivery, especially before 34 weeks.

A PIGF <12 pg/ml confirms a diagnosis of pre-eclampsia, but does not necessarily indicate severity! Some women can remain pregnant for several weeks, with close surveillance according to local guidelines.

Clinical teams should use their clinical judgement to time delivery.

Low PIGF alone is not a severe feature.

We are very excited to announce that PAPAGAIO Delivery has been granted ethical approval in Brazil and Zambia, and will soon be commencing in sites across each country!

THANK YOU ALL FOR YOUR HARD WORK